

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay and *standard error*, by selected first-listed diagnostic categories: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM)]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1	
All conditions \2	35,079	1,139.6	167,774	5,450.3	4.8
Females with deliveries V27	3,951	128.4	10,762	349.6	2.7
Heart disease 391-392.0,393-398,402,404,410-416,420-429	3,724	121.0	17,120	556.2	4.6
Acute myocardial infarction 410	595	19.3	3,224	104.7	5.4
Coronary atherosclerosis 414.0,414.2,414.3	648	21.1	2,370	77.0	3.7
Other ischemic heart disease 411-413,414.1,414.8-414.9	103	3.3	312	10.1	3.0
Cardiac dysrhythmias 427	767	24.9	2,895	94.0	3.8
Congestive heart failure 428.0,428.2-428.4	1,009	32.8	5,041	163.8	5.0
Psychoses 290-299	1,543	50.1	11,130	361.6	7.2
Schizophrenic disorders 295	266	8.6	2,822	91.7	10.6
Major depressive disorder 296.2-296.3	395	12.8	2,583	83.9	6.5
Malignant neoplasms 140-209.36,209.70-209.75,209.79,230-234	1,212	39.4	7,655	248.7	6.3
Malignant neoplasm of large intestine and rectum 153-154,197.5,209.1	136	4.4	1,074	34.9	7.9
Malignant neoplasm of trachea, bronchus, and lung 162,176.4,197.0,197.3,209.21	177	5.8	1,089	35.4	6.2
Pneumonia 480-486	1,128	36.6	5,847	190.0	5.2
Fractures, all sites \3 800-829	1,113	36.2	6,761	219.6	6.1
Fracture of neck of femur 820	306	9.9	1,776	57.7	5.8
Osteoarthritis and allied disorders 715	1,057	34.3	3,598	116.9	3.4
Certain complications of surgical and medical care 996-999	1,017	33.0	6,017	195.5	5.9
Cerebrovascular disease 430-438	1,015	33.0	6,151	199.8	6.1
Septicemia 038	808	26.3	7,111	231.0	8.8
Diabetes mellitus 249,250	635	20.6	2,894	94.0	4.6
Chronic bronchitis 491	614	19.9	2,760	89.7	4.5
Cellulitis and abscess 681-682	603	19.6	2,641	85.8	4.4
Urinary tract infection 599.0	558	18.1	2,254	73.2	4.0
Asthma 493	439	14.3	1,576	51.2	3.6
Anemias 280-285	392	12.7	1,618	52.6	4.1
Intestinal obstruction 560	385	12.5	2,285	74.2	5.9
Benign neoplasms 209.4-209.6,210-229	335	10.9	1,060	34.5	3.2
Benign neoplasm of uterus 218-219	189	6.1	408	13.3	2.2
Cholelithiasis 574	334	10.9	1,336	43.4	4.0
Noninfectious enteritis and colitis 555-558	322	10.4	1,409	45.8	4.4
Intervertebral disc disorders 722	318	10.3	1,020	33.1	3.2
Diverticula of intestine 562	300	9.7	1,472	47.8	4.9
Volume depletion 276.5	288	9.4	779	25.3	2.7
Essential hypertension 401	280	9.1	630	20.5	2.2
Acute pancreatitis 577.0	276	9.0	1,262	41.0	4.6
Appendicitis 540-543	275	8.9	782	25.4	2.8
Poisonings 960-989	260	8.4	768	24.9	3.0
Acute bronchitis and bronchiolitis 466	173	5.6	505	16.4	2.9
Calculus of kidney and ureter 592	158	5.1	418	13.6	2.6

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay and standard error, by selected first-listed diagnostic categories: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM)]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1	
All conditions \2	3,746	121.7	18,410	598.1	0.14
Females with deliveries	V27	448	1,221	39.7	0.06
Heart disease	391-392.0,393-398,402,404,410-416,420-429	398	1,884	61.2	0.10
Acute myocardial infarction	410	67	380	12.3	0.22
Coronary atherosclerosis	414.0,414.2,414.3	86	320	10.4	0.15
Other ischemic heart disease	411-413,414.1,414.8-414.9	15	70	2.3	0.53
Cardiac dysrhythmias	427	84	341	11.1	0.13
Congestive heart failure	428.0,428.2-428.4	115	583	18.9	0.19
Psychoses	290-299	274	2,285	74.2	0.49
Schizophrenic disorders	295	53	676	22.0	0.81
Major depressive disorder	296.2-296.3	82	619	20.1	0.65
Malignant neoplasms	140-209.36,209.70-209.75,209.79,230-234	143	900	29.2	0.22
Malignant neoplasm of large intestine and rectum	153-154,197.5,209.1	18	144	4.7	0.41
Malignant neoplasm of trachea, bronchus, and lung	162,176.4,197.0,197.3,209.21	25	164	5.3	0.31
Pneumonia	480-486	140	718	23.3	0.19
Fractures, all sites \3	800-829	156	1,332	43.3	0.74
Fracture of neck of femur	820	39	255	8.3	0.29
Osteoarthritis and allied disorders	715	152	527	17.1	0.13
Certain complications of surgical and medical care	996-999	135	831	27.0	0.15
Cerebrovascular disease	430-438	139	1,376	44.7	0.77
Septicemia	038	97	871	28.3	0.40
Diabetes mellitus	249,250	73	348	11.3	0.24
Chronic bronchitis	491	79	371	12.0	0.18
Cellulitis and abscess	681-682	63	284	9.2	0.12
Urinary tract infection	599.0	68	278	9.0	0.14
Asthma	493	66	231	7.5	0.22
Anemias	280-285	46	199	6.5	0.18
Intestinal obstruction	560	47	299	9.7	0.27
Benign neoplasms	209.4-209.6,210-229	39	137	4.5	0.17
Benign neoplasm of uterus	218-219	25	57	1.9	0.10
Cholelithiasis	574	39	148	4.8	0.16
Noninfectious enteritis and colitis	555-558	41	182	5.9	0.19
Intervertebral disc disorders	722	49	180	5.8	0.23
Diverticula of intestine	562	32	172	5.6	0.20
Volume depletion	276.5	44	109	3.5	0.11
Essential hypertension	401	39	102	3.3	0.18
Acute pancreatitis	577.0	35	178	5.8	0.28
Appendicitis	540-543	40	109	3.5	0.15

Standard error

Number and rate of discharges from short-stay hospitals and of days of care, with average length of stay and *standard error*, by selected first-listed diagnostic categories: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Diagnostic groupings and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM)]

Category of first-listed diagnosis and ICD-9-CM code	Discharges		Days of care		Average length of stay in days	
	Number in thousands	Rate per 10,000 population \1	Number in thousands	Rate per 10,000 population \1		
Poisonings	960-989	31	1.0	117	3.8	0.23
Acute bronchitis and bronchiolitis	466	37	1.2	113	3.7	0.23
Calculus of kidney and ureter	592	22	0.7	63	2.0	0.21

\1 Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as July 1, 2010.

\2 Includes data for diagnostic conditions not shown in table.

\3 Excludes fractures coded as 733.1, pathologic fracture.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2010.

More information about survey methodology can be found at:

ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2010_Documentation.pdf.